

January 24, 2022

Mr. Ricky Vargas
Project Manager
Land and Redevelopment Programs Branch
Land, Chemicals and Redevelopment Division
United States Environmental Protection Agency, Region 2
290 Broadway, 25th Floor
New York, New York 10007

Subject: Catalyst Bead Site Investigation Report

Former Chevron Perth Amboy Facility, Perth Amboy, New Jersey

EPA ID No. NJD081982902

Dear Mr. Vargas,

Parsons Environment and Infrastructure, Inc. (Parsons) has prepared this Catalyst Bead Site Investigation Report (SIR) to present the results of the catalyst bead sampling completed in Solid Waste Management Units (SWMUs) 7, 19, 39, and 40. SWMUs 7, 19, 39, and 40 are in the Main Yard at the former Chevron Perth Amboy Facility (Facility) in Perth Amboy, New Jersey (**Figure 1**). The objective of the Site Investigation (SI) was to collect representative samples of the catalyst beads for analysis of polychlorinated biphenyls (PCBs) to evaluate the potential for PCB contamination associated with historical use of the catalyst beads in the petroleum refining process performed at the Facility. This Catalyst Bead SIR is being submitted to the United States Environmental Protection Agency (USEPA) and New Jersey Department of Environmental Protection (NJDEP) for review and approval.

SITE INVESTIGATION

The SI of catalyst beads was performed in October 2021, in accordance with the approved Catalyst Bead Site Investigation Work Plan (SIWP) – Revision 1. The SI focused on the collection of representative samples of catalyst beads from SWMUs 7, 19, 39, and 40 for PCB analysis. Soil borings were advanced in all four SWMUs to facilitate collection of the catalyst bead samples.

Soil Sampling Methodology and Analytical Protocols

Soil borings were advanced using a Geoprobe® direct-push soil sampling system operated by a New Jersey-licensed driller. The Geoprobe® was used to advance a standard five-foot long, two-inch diameter Macro-Core® soil sampling device below the ground surface. Soil samples primarily consisting of catalyst beads, were collected in accordance with the NJDEP Field Sampling Procedures Manual (2005) and the USEPA-approved Catalyst Bead SIWP – Revision 1.

An NJDEP-certified laboratory analyzed soil samples consisting of catalyst beads and soil for PCBs following USEPA SW846 Method 8082A.

Upon sampling completion, soil borings were backfilled with soil cuttings. The surface was restored to previous site conditions and marked for surveying. All soil borings were surveyed for elevation (in the National Geodetic Vertical Datum of 1929, or NGVD29) and surface location.

Sampling Program

Samples were collected and evaluated in accordance with the NJDEP Technical Requirements for Site Remediation (2012) and the sampling requirements outlined in the NJDEP Technical Guidance for Site Investigation of Soil, Remedial Investigation of Soil, and Remedial Action Verification Sampling for Soil (2015).

In accordance with the SIWP, Chevron collected samples of catalyst beads from SWMUs 7, 19, 39 and 40 located in the Facility's Main Yard. Three soil borings were drilled in SWMUs 39 and 40, one soil boring each was drilled in SWMUs 7 and 19, and catalyst bead samples were collected for laboratory analysis. The soil borings were located outside previous treatment areas and biased to previous soil boring locations where catalyst beads were observed in the subsurface. One catalyst bead sample was collected from each soil boring for PCB analysis. Sample intervals were biased to the 6-inch interval with the greatest number of catalyst beads.

The historical soil boring locations are provided as **Attachment 1**, and sampling details are summarized in **Table 1**.

ANALYTICAL RESULTS

Eight soil borings were advanced and sampled to evaluate PCB concentrations in catalyst beads at SWMUs 7, 19, 39, and 40, as described below. Sampling was performed in accordance with the SIWP – Revision 1. The analytical results for PCBs are presented in **Table 1**. Soil boring locations and PCB sample results are presented on **Figures 2**, **3** and **4**.

SWMU 7

One soil boring (S6062) was advanced in SWMU 7 adjacent to historical soil boring U007-014. Sample S6062D3 was collected from 7.0 to 7.5 feet below ground surface (bgs) for PCB analysis. PCBs were detected at 0.038 milligrams per kilogram (mg/kg), which is below the NJDEP Soil Remediation Standards (SRS) Nonresidential Ingestion-Dermal Exposure Pathway (1.1 mg/kg), NJDEP SRS Residential Ingestion-Dermal Exposure Pathway (0.25 mg/kg), NJDEP SRS Migration to Groundwater Exposure Pathway (1.6 mg/kg), and USEPA Toxic Substance Control Act (TSCA) limit (1.0 mg/kg). Soil boring locations and PCB sample results are presented on Figure 2.

SWMU 19

At SWMU 19, soil boring S6063 was advanced adjacent to historical soil boring S5198. Sample S6063B4 was collected from 3.5 to 4.0 feet bgs for PCB analysis. PCBs were non-detect, with method detection limit (MDL) at 0.0081U mg/kg, which is below the NJDEP SRS Nonresidential Ingestion-Dermal Exposure Pathway (1.1 mg/kg), NJDEP SRS Residential Ingestion-Dermal Exposure Pathway (0.25 mg/kg), NJDEP SRS Migration to Groundwater Exposure Pathway (1.6 mg/kg), and USEPA TSCA limit (1.0 mg/kg). Soil boring locations and PCB sample results are presented on **Figure 4.**



Mr. Ricky Vargas January 24, 2022 Page 3

SWMU 39

At SWMU 39, three soil borings (S6056, S6057 and S6058) were advanced adjacent to historical soil borings SB-0052, S4488, and S5277 at SWMU 39, respectively. Soil boring locations and PCB sample results are presented on **Figure 3**.

At soil boring S6056, one sample (S6056E2) was collected from 8.5 to 9.0 feet bgs for PCB analysis. PCBs were detected at 0.039 mg/kg, which is below the NJDEP SRS Nonresidential Ingestion-Dermal Exposure Pathway (1.1 mg/kg), NJDEP SRS Residential Ingestion-Dermal Exposure Pathway (0.25 mg/kg), NJDEP SRS Migration to Groundwater Exposure Pathway (1.6 mg/kg), and USEPA TSCA limit (1.0 mg/kg).

At soil boring S6057, one sample (S6057E3) was collected from 9.0 to 9.5 feet bgs for PCB analysis. PCBs were non-detect, with MDLs at 0.008U¹ mg/kg, which is below the NJDEP SRS Nonresidential Ingestion-Dermal Exposure Pathway (1.1 mg/kg), NJDEP SRS Residential Ingestion-Dermal Exposure Pathway (0.25 mg/kg), NJDEP SRS Migration to Groundwater Exposure Pathway (1.6 mg/kg), and USEPA TSCA limit (1.0 mg/kg).

At soil boring S6058, one sample (S6058G4) was collected from 13.5 to 14.0 feet bgs for PCB analysis. PCBs were detected at 0.094 mg/kg, which is below the NJDEP SRS Nonresidential Ingestion-Dermal Exposure Pathway (1.1 mg/kg), NJDEP SRS Residential Ingestion-Dermal Exposure Pathway (0.25 mg/kg), NJDEP SRS Migration to Groundwater Exposure Pathway (1.6 mg/kg), and USEPA TSCA limit (1.0 mg/kg).

SWMU 40

At SWMU 40, three soil borings (S6059, S6060 and S6061) were advanced adjacent to historical soil borings S40TP1/S0803, S0805 and S4581, respectively. Soil boring locations and PCB sample results are presented on **Figure 2**.

At soil boring S6059, one sample (S6059E4) was collected from 9.0 to 9.5 feet bgs for PCB analysis. PCBs were detected at 0.34 mg/kg, which is below the NJDEP SRS Nonresidential Ingestion-Dermal Exposure Pathway (1.1 mg/kg), NJDEP SRS Migration to Groundwater Exposure Pathway (1.6 mg/kg), and USEPA TSCA limit (1.0 mg/kg). PCBs at a concentration of 0.34 mg/kg exceeded NJDEP SRS Residential Ingestion-Dermal Exposure Pathway (0.25 mg/kg).

At soil boring S6060, one sample (S6060B1) was collected from 2.0 to 2.5 feet bgs for PCB analysis. PCBs were detected at 0.063 mg/kg, which is below the NJDEP SRS Nonresidential Ingestion-Dermal Exposure Pathway (1.1 mg/kg), NJDEP SRS Residential Ingestion-Dermal Exposure Pathway (0.25 mg/kg), NJDEP SRS Migration to Groundwater Exposure Pathway (1.6 mg/kg), and USEPA TSCA limit (1.0 mg/kg).

At soil boring S6061, one sample (S6061B2) was collected from 2.5 to 3.0 feet bgs for PCB analysis. PCBs were detected at 0.025 mg/kg, which is below the NJDEP SRS Nonresidential Ingestion-Dermal Exposure Pathway (1.1 mg/kg), NJDEP SRS Residential Ingestion-Dermal Exposure Pathway (0.25 mg/kg), NJDEP SRS Migration to Groundwater Exposure Pathway (1.6 mg/kg), and USEPA TSCA limit (1.0 mg/kg).

¹ U is a laboratory qualifier indicating the analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted MDL for sample and method.



The PCB results show that all the samples were below the NJDEP SRS Nonresidential Ingestion-Dermal Exposure Pathway, NJDEP SRS Migration to Groundwater Exposure Pathway, and USEPA TSCA limit. Only one sample (S6059E4) exceeded the NJDEP SRS Residential Ingestion-Dermal Exposure Pathway standard (0.25 mg/kg).

CONCLUSIONS/ RECOMMENDATIONS

Historical investigations indicate that the catalyst beads identified in the subsurface at the Facility are delineated on site. The historical investigations also indicate significant amounts of catalyst beads identified in the fill material overlying in the native soil are limited to SWMUs 7, 19, 39 and 40. The results of the PCB analyses performed in accordance with the catalyst bead SIWP implemented at the Facility addressed the data gaps remaining from historical investigations.

The SI results show that PCBs were not detected in the catalyst beads in SWMU 19, and only low level PCB concentrations were detected in the the samples collected from SWMUs 7, 39 and 40. The results also show that PCB concentrations do not exceed the NJDEP SRS Nonresidential Ingestion-Dermal exposure pathway (1.1 mg/kg), NJDEP SRS Migration to Groundwater Exposure Pathway (1.6 mg/kg), or USEPA TSCA limit (1.0 mg/kg).

Only one sample (S6059E4) collected from SWMU 40 exhibited PCB concentrations in excess of the NJDEP SRS Residential Ingestion-Dermal Exposure Pathway of 0.25 mg/kg. Since PCBs were not detected above the NJDEP SRS Nonresidential Ingestion-Dermal exposure pathway or the TSCA limit, the low-level PCB concentrations detected in the catalyst beads will be addressed with a Deed Notice.

CLOSING

Based on the results summarized above and conclusions presented herein, Chevron requests review and approval by the USEPA of the catalyst bead SI results and requests no further action for PCBs in catalyst beads at the former Chevron Perth Amboy Facility. Should you require any additional information, please contact me directly at (570) 977-6464.

Sincerely,

Jeff Detrick, CHMM Project Manager

Parsons

References and Attachments (see list on following page)

cc: Mr. Charlie Zielinski, NJDEP

Mr. Brian Connors, CEMC

Mr. Mike Samuel, Buckeye Perth Amboy Terminal, LLC Ms. Krista Manley, Buckeye Perth Amboy Terminal, LLC

D-ID Number 2021-044-30



REFERENCES

NJDEP. 2005. Field Sampling Procedures Manual.

NJDEP. 2012. Technical Requirements for Site Remediation.

NJDEP. 2015. Technical Guidance for Site Investigation of Soil, Remedial Investigation of Soil, and Remedial Action Verification Sampling for Soil.

USEPA. 2021. Approval, Catalyst Bead Site Investigation Work Plan for SWMUs 7, 19, 39 and 40 -Revision 1, dated August 31, 2021.

ATTACHMENTS

Table 1 - Summary of PCB Sampling Results

Figure 1 – Aerial Photograph of Former Chevron Perth Amboy Facility

Figure 2 - SWMU 7 and 40 with PCB Sampling Results

Figure 3 - SWMU 39 with PCB Sampling Results

Figure 4 - SWMU 19 with PCB Sampling Results

Attachment 1 - Historical Boring logs



TABLE



Table 1

Summary of PCB Sampling Results - SWMU 7, 19, 39 and 40

Catalyst Beads Site Investigation Report Former Chevron Perth Amboy Facility -Perth Amboy, New Jersey

					Location ID	S6056	S6057	S6058	S6059	S6060	S6061	S6062	S6063
	and to see the name of		SRS Migration to		Areas	SWMU 39	SWMU 39	SWMU 39	SWMU 40	SWMU 40	SWMU 40	SWMU 7	SWMU 19
	SRS Ingestion-Dermal Residential	SRS Ingestion-Dermal Nonresidential		USEPA TSCA	Field Sample ID	S6056E2	S6057E3	S6058G4	S6059E4	S6060B1	S6061B2	S6062D3	S6063B4
	(mg/kg)	(mg/kg)	(mg/kg)	Limit	Sample Date	10/14/2021	10/14/2021	10/14/2021	10/14/2021	10/14/2021	10/14/2021	10/14/2021	10/14/2021
	(1119/119)	(9/1.9)	(9/1.9/		Depth (ft bgs)	8.5 - 9.0	9.0 - 9.5	13.5 - 14.0	9.5 - 10.0	2.0 - 2.5	2.5 - 3.0	7.0 - 7.5	3.5 - 4.0
Parameter Name					Report Units	Report Result							
Aroclor 1016	NA	NA	NA	NA	mg/kg	0.0045 U	0.0052 U	0.0041 U	0.0045 U	0.0041 U	0.0038 U	0.0041 U	0.0053 U
Aroclor 1221	NA	NA	NA	NA	mg/kg	0.007 U	0.008 U	0.0064 U	0.007 U	0.0063 U	0.0058 U	0.0064 U	0.0081 U
Aroclor 1232	NA	NA	NA	NA	mg/kg	0.0056 U	0.0064 U	0.0051 U	0.0056 U	0.0051 U	0.0047 U	0.0051 U	0.0065 U
Aroclor 1242	NA	NA	NA	NA	mg/kg	0.0056 U	0.0064 U	0.0051 U	0.0056 U	0.0051 U	0.0047 U	0.0051 U	0.0065 U
Aroclor 1248	NA	NA	NA	NA	mg/kg	0.0045 U	0.0052 U	0.023	0.17 NJ	0.022 NJ	0.0038 U	0.0041 U	0.0053 U
Aroclor 1254	NA	NA	NA	NA	mg/kg	0.02 J	0.0069 U	0.044	0.17 NJ	0.024	0.025	0.038	0.007 U
Aroclor 1260	NA	NA	NA	NA	mg/kg	0.019 NJ	0.0061 U	0.027	0.0053 U	0.017 J	0.0044 U	0.0049 U	0.0062 U
Total PCBs	0.25	1.1	1.6	1.0	mg/kg	0.039	0.008 U	0.094	0.34	0.063	0.025	0.038	0.0081 U

Notes:

Bold and shaded indicates exceedance to NJDEP SRS Ingestion Dermal Residential

NA - No action level limit available for this parameter

U - Analyte not detected at that concentration

J - Analyte concentration estimated


NJ - Analyte concentration estimated

PCB - Polychlorinated Biphenyls


SWMU - Solid Waste Management Unit

FIGURES









ATTACHMENT 1 HISTORICAL BORING LOGS



Site: Chevron: Perth Amboy, NJ	Drilling Company: JCA	Northing: 621673.31
Boring/Well ID: S0803	Driller: NA	Easting: 557902.03
Permit No: NA	Consulting Firm: Parsons	Elevation: 9.1
Location: SWMU 40	Logged By: KS	Datum: Ground Surface
Start Date/Time: 07/31/2002	Drill Rig Type: Geoprobe	Total Depth: 18.0 Ft
Complete Date: 07/31/2002	Drilling Method: Macrocore	Boring Diameter: 2 In
Weather: NA	Sample Method:	Water Depth in Soil: 6 Ft
Field Book No: #1 team	Hammer Weight: NA	
	Hammer Drop: NA	


Remarks:

Depth Ft	Sample ID	Recovery	PID	Stratum	USCS Code	Material Description
0 -			12	FILL	SW	Dark Brown c-f SAND, m-f gravel, dry, m-dense
1 -			1.2			
' -	S0803A3		16	FILL	SW	Light Brown f-SAND, dry, loose
2 -	S0803A4		9 0.9 2.2	FILL	sw	Gray c-f SAND, gravel, m-dense, dry
3 -	_		75	FILL	CL	Reddish Brown SILT-CLAY, some f-sand, little f-gravel, soft, moist
4			57	FILL		Catalyst Beads, product-like odor, product-like stain
4	_		40			Gray CLAY, some sand, trace f-gravel, soft, moist, product-like odor
5 -	- 7		13 15 17	FILL	CL	
6 - 7 -	- - -		28 23 30 20	FILL		Catalyst Beads, loose, wet, product-like odor, very small product-like globules, gw encountered
8 -	_		36	FILL	CL	Reddish Gray CLAY, trace f-sand, soft, moist, very little gravel
9 -	- - - -		87 35 58 52 31 74	FILL	SW	Brown m-f SAND, catalyst beads, loose, wet, product-like odor
12 -	S0803F4		460	FILL	CL	Gray CLAY, m-f sand, some gravel, soft, moist, product-like odor
13 -	<u>-</u>		352 194 30 37	Native	CL	Black-stained CLAY, trace f-sand, very loose, very wet, product-like odor
14 -	- -		34 40	Native	CL	Black-stained CLAY, trace f-sand, soft, moist, product-like odor
15 — 16 — 17 —	\$0803H4		8.3 2.5 3.6 2 0.7 0.7	Native	CL	Dark Gray CLAY, soft, moist
18.0						

Page 1 of 1

Site: Chevron: Perth Amboy, NJ	Drilling Company: JCA	Northing: 621619.1
Boring/Well ID: S0805	Driller: NA	Easting: 557976.45
Permit No: NA	Consulting Firm: Parsons	Elevation: 7
Location: SWMU 40	Logged By: MW	Datum: Ground Surface
Start Date/Time: 07/25/2002	Drill Rig Type: Geoprobe	Total Depth: 12.0 Ft
Complete Date: 07/25/2002	Drilling Method: Macrocore	Boring Diameter: 2 In
Weather: NA	Sample Method: Grab Sample	Water Depth in Soil: 4.5 Ft
Field Book No: RFI 69	Hammer Weight: NA	
	Hammer Drop: NA	

Remarks: MW-126 was installed.



Page 1 of 1


Citar Ch	a a composition Daniella	A mala as	. NI I	Deilli		ww. Foot Cooot Drilling Inc	Northing COOCE C
	nevron: Perth Well ID: S448		/, NJ		ing Compar er: J. Barna	ny: East Coast Drilling, Inc.	Northing: 622665.6 Easting: 555952.5
Permit I		,,,			er: J. Barna sulting Firm		Elevation: 15.9
	n: MY AOC5				ged By: M. I		Datum: Ground Surface
	ate: 08/11/20					Geoprobe 7822	Total Depth (Ft BGS): 18.0 Ft
	ete Date: 08/1					Direct Push - Tripod	Boring Diameter (inch): NA
	ook No:	1/2014	·		cated TWP		Water Depth in Soil (Ft BGS): 3.0 Ft
	er: Clear, 85F				en Interval:		water Deptit in 30ii (1 t B33): 3.01 t
Weathe	or. Oldar, oor			0010	cii iiitoi vai.	<u>-</u>	1
Remark	ks:					I	
Depth Ft	Sample ID	Recovery	PID	Stratum	USCS Code		Material Description
0			0			Dry, medium dense, green/ora	nge medium to fine SAND, little Silt, trace Clay
l †			0				
▮╻⊥	_		U	FILL	SP		
$I^1 \uparrow$			0	' ''	01		
↓							
			0				
2 +	-					Moist, dense, gray, GRAVEL, s	some Silt, trace Clay
			0	FILL	GW		•
L	,					 	
3 7	-					No Recovery	
1 +							
4 +	•						
l İ							
I , _							
5			0			Wet, dense, gray/black GRAVE	EL. some Silt and fine to coarse Sand
↓							
			0				
6	•						
			0				
 			4.5	FILL	GW		
	_		1.5				
7			78				
↓							
			48.8				
8 +						Wet, soft, black fine SAND and	SILT, with catalysis Beads
			45.9		21.1		•
†			45.0	FILL	SM		
$\lfloor \ \ \rfloor$	_		45.8	<u> </u>			
9 🕇	•					No Recovery	
↓							
l [
┃ 10 丄			L			L	
	1 af 0						
I Pa	age 1 of 2						

Cita. C	Shaymanı Darth	Amabas	. NI I	I Daill	na Campan	wa Foot Cooot Drilling Inc	Northing, 600665 6			
	hevron: Perth /Well ID: S448		, NJ			y: East Coast Drilling, Inc.	Northing: 622665.6 Easting: 555952.5			
Permit		ю			er: J. Barnal sulting Firm		Elevation: 15.9			
	on: MY AOC5				ged By: M. E		Datum: Ground Surface			
	Date: 08/11/20	14				Seoprobe 7822	Total Depth (Ft BGS): 18.0 Ft			
	ete Date: 08/1					Direct Push - Tripod	Boring Diameter (inch): NA			
	Book No:	.,			cated TWP		Water Depth in Soil (Ft BGS): 3.0 Ft			
	er: Clear, 85F				en Interval:] ' ' ' ' '			
Remai	rks:									
l										
					40					
l	Ω	>			ode					
ᄪ	90	ver			sc					
Depth Ft	Sample ID	Recovery	PID	Stratum	USCS Code		Material Description			
		α.	ه ا	ίδ)	Wot noft blook/grov CUT bin	et, soft, black/gray, SILT, high plasticity, catalyst beads, petrol odor			
10			218			vvet, soπ, plack/gray, SIL1, hig	n piasucity, catalyst beads, petrol odor			
	-									
44			88.9	FILL	OL					
11			100.1							
-										
12 -	- S4488F3G2		67.2							
12	S4488G1 D0811148		57.1			Moist, soft, black, SILT, some (Clay, catalyst beads, petrol odor			
			210.5	FILL	OL					
13 -			210.5							
10			56.3			Moist, medium dense, brown/g	reen, medium to fine Sand, some Silt and Clay			
-	-			FILL	SW					
			30.4							
14 -	_									
	-									
15	_					Moist, soft, green/brown SILT v	with organic PEAT			
			1.5				-			
 	-		3.7							
16	_		0.9	Native	PT					
†	-		8.1							
17	-		0							
						No Recovery				
18.0	_			•		•				
P	age 2 of 2									

	Chevron: Pe		iboy, N	J				coast Drilling, Inc.	Northing: 621524.8		
	g/Well ID: S	4581				Driller: J. Barnack			Easting: 557963.3		
	t No: NA					Consulting Firm: Parsons			Elevation: 8.2		
	on: SWMU						Henshaw/		Datum: Ground Surface		
	Date: 11/18/						Geoprobe		Total Depth (Ft BGS): 15.0 Ft		
Comp	lete Date: 1	1/18/2	014		Drill	ing Method	d: Direct Pu	ısh	Boring Diameter (inch): 2 in		
Field	Book No: 29	98			Cold	cated TW	P ID:		Water Depth in Soil (Ft BGS): 5.4 Ft		
Neath	ner: 20-30F,	Clear,	sunny,	cold	Scre	en Interva	ıl: -				
	al.a.										
Rema	IKS.						F	I			
Depth Ft	Sample ID	Recovery	XRF Pb	XRF As	GIA	Stratum	epoo sosn		Material Description		
0 _					1.5	FILL	GW	GRAVEL base and Silt, bu			
	-				1.1	FILL	ML	odor	nd SiLT, dry to moist, stiff, no plasticity, no staining, no		
1 -	<u> </u>							Grey to medium grey CAT staining, no odor	ALST BEADS, and SILT, stiff, moist to dry, no plasticity, no		
•					2.5	FILL	ML	Saming, no saoi			
					1.3			White CATALYST BEADS,	trace fines, dry, no staining, no odor, loose		
2 -	L					FILL	CAT				
_					0.2	1 11-1-	OA!				
	†				0.7	FILL	ML	Dark brown SILT and Cat	alyst Beads, minor Brick, very stiff, moist		
3 -	_				0.3	FILL	01	Red to brown CLAY, trace	small Gravel, dense, dry, moist, no staining, no odor		
	<u> </u>					FILL	CL	Dark grey SILT and Cataly	st beads, moist, no staining, no odor		
4 -	L				0.2	FILL	ML	No Recovery	or board, more, no bearing, no basis		
	_					FILL		ine ressisi,			
5 _	Ł							Dark grey to black SILT a	nd Catalyst Beads, stiff at 5.6 feet, moderate to strong staining,		
7					1.5			moderate odor, wet			
					99.7	FILL	ML				
6 -	S4581D1				38.9	FILL	WOOD	Black stained WOOD and	netting, wet		
	2.00101								CLAY, soft, moist, little Catalyst Beads, little staining, no		
	S4581D2				9.2	FILL		odor			
7 -					45.4	FILL	CL				
	S4581D4				183.0	FILL	CL	Black CLAY and Catalyst plasticity	Beads, wet, soft, moderate staining, strong odor, moderate		
8 -	3430 IU4				100.0			Red to brown CLAY, stiff, v	wet, some staining		
					85.0	FILL	CL	Olive-green to black PEAT	and organic Mud, Rootlets, plant material at 8.4 to		
					15.7	NATIVE	PT/OH	8.7 feet	ana organio muu, 1700sets, piant material 8t 6.4 tu		
9 -	<u> </u>							No Recovery			
	Ţ	1		1 !							
				l l							

Site: Chevron: Perth Amboy, NJ	Drilling Company: East Coast Drilling, Inc.	Northing: 621524.8		
Boring/Well ID: S4581	Driller: J. Barnack	Easting: 557963.3		
Permit No: NA	Consulting Firm: Parsons	Elevation: 8.2		
Location: SWMU 16	Logged By: N. Henshaw/P. Fringer	Datum: Ground Surface		
Start Date: 11/18/2014	Drill Rig Type: Geoprobe	Total Depth (Ft BGS): 15.0 Ft		
Complete Date: 11/18/2014	Drilling Method: Direct Push	Boring Diameter (inch): 2 in		
Field Book No: 298	Colocated TWP ID:	Water Depth in Soil (Ft BGS): 5.4 Ft		
Weather: 20-30F, Clear, sunny, cold	Screen Interval: -			

Remarks:




Site: 0	Site: Chevron: Perth Amboy, NJ				lling Compa	ny: East Coast Drilling, Inc.	Northing: 621677.5925	
	ı/Well ID: S519				ller: A. Macl		Easting: 557148.5726	
	t No: NA				nsulting Firr		Elevation: 7	
	on: SWMU 19				gged By: C.		Datum: Ground Surface	
	Date/Time: 06/	06/2016	3		ll Rig Type:		Total Depth: 15.0 Ft	
	lete Date: 06/0					I: Direct Push	Boring Diameter: 2 in	
	ner: 85 Deg F,				mple Metho		Water Depth in Soil: 1 Ft	
	Book No: 317				mmer Weigl		1	
1					mmer Drop:		1	
Rema	rks:		Γ	,	I	I	Ţ	
Depth Ft	Sample ID	Recovery	PID	Stratum	USCS Code		Material Description	
0			0.0	-	0.44	Yellow brown fine to medium SA moist, no stain, no odor.	AND, trace fine to coarse Gravel, some Silt, soft,	
	S5198A2		0.0	FILL	SW			
1 -	S5198A3		42.4	FILL	ML	Dark gray SILT, some fine to medium Sand, Cat Beads, soft, wet, slight stain, slight odor.		
-			1.5	FILL	ML	Gray SILT, Cat Beads, wet, slig	nt sneen, no odor.	
2 -						No recovery.		
-	-							
3 -	_							
4 -	_							
	-							
5 - F	Page 1 of 3							

							T	
Site: Chevron: Perth Amboy, NJ						ny: East Coast Drilling, Inc.	Northing: 621677.5925	
	/Well ID: S519	8			ller: A. Macl		Easting: 557148.5726	
	: No: NA				nsulting Firr		Elevation: 7	
	on: SWMU 19				gged By: C.		Datum: Ground Surface	
	Date/Time: 06/0				II Rig Type:		Total Depth: 15.0 Ft	
Complete Date: 06/06/2016						: Direct Push	Boring Diameter: 2 in	
	er: 85 Deg F, S	Sunny			mple Metho		Water Depth in Soil: 1 Ft	
Field E	Book No: 317				mmer Weig		4	
<u> </u>				l Ha	mmer Drop:	NA		
Rema	rks:					I		
Depth Ft	Sample ID	Recovery	PID	Stratum	USCS Code	Material Description		
5				FILL	sw	Yellow brown fine to medium Sano odor.	AND, some Silt, trace Cat Beads, soft, wet, no stain,	
			2.8			Gray SILT, Cat Beads, soft, wet	t, no stain, no odor.	
	S5198C4		0.9	FILL	ML			
6 -			4.2					
_	_		1.9	FILL	sw	Red brown fine to medium SAN hydrocarbon odor.	ID, some gray Silt, soft, wet, slight sheen, slight	
7 -				FILL		Very dark brown SILT, some Fil	brous Material, soft, wet, stain, hydrocarbon odor.	
	S5198D3		13.7			Very dark brown FLYASH, loos	e, wet, stain, hydrocarbon odor.	
8 -			6.5	FILL	ML			
						Vany dark brown CII T trace for	e to medium Sand, soft, wet, slight stain, no odor.	
						No recovery.	e to medium Sand, soit, wet, siight stain, no odor.	
	-					·		
9 -	_							
Ĭ								
-	-							
10	١		L – – –			<u> </u>		
P	age 2 of 3							

Site: C	hevron: Perth	Amboy	/ N.I	Dri	lling Compa	ny: East Coast Drilling, Inc.	Northing: 621677.5925
	/Well ID: S519		, 140		ller: A. Mack		Easting: 557148.5726
	No: NA				nsulting Firr		Elevation: 7
	on: SWMU 19				gged By: C.		Datum: Ground Surface
	Date/Time: 06/0	06/2016	3		ll Rig Type:		Total Depth: 15.0 Ft
Compl	lete Date: 06/0	6/2016				l: Direct Push	Boring Diameter: 2 in
	er: 85 Deg F,	Sunny			mple Metho		Water Depth in Soil: 1 Ft
Field E	Book No: 317				mmer Weigl		
					mmer Drop:	NA	
Rema	rks:			Ι			
Depth Ft	Sample ID	Recovery	PID	Stratum	USCS Code		Material Description
10			10.2	FILL	ML/SW	Very dark brown SILT, some fin wet, some staining, hydrocarbo	e to medium Sand, some gray Silt, Cat Beads, loose, n odor.
-			6.5	FILL		Very dark brown FLYASH, loose	
11 -	_		3.9			Olive green PEAT, some Silt, no	o stain, organic matter odor.
10	S5198F4		12.8				
12 -			1.9	NATIVE	PT		
13 -	S5198G2		1.9				
10						No recovery.	
14 -							
15.0 P	Page 3 of 3						

Site: Chevron: Perth Amboy, NJ	Drilling Company: East Coast Drilling, Inc.	Northing: 619672.56		
Boring/Well ID: S5277	Driller: A. Mackiewicz	Easting: 560472.19		
Permit No: NA	Consulting Firm: Parsons	Elevation: 11.13		
Location: AOC 14/26	Logged By: M. Emmer	Datum: Ground Surface		
Start Date/Time: 08/16/2016	Drill Rig Type: Geoprobe	Total Depth: 25.0 Ft		
Complete Date: 08/16/2016	Drilling Method: Direct Push - Split Spoon	Boring Diameter: 2 in		
Weather: sun, 80s	Sample Method: Split Spoon	Water Depth in Soil: 7 Ft		
Field Book No: 320	Hammer Weight: NA			
	Hammer Drop: NA			

Remarks: Wood in tip of spoon on 5-10ft run, redid 7-10ft due to poor recovery



Site: C	hevron: Perth	Amboy	, NJ	Dri	lling Compa	ny: East Coast Drilling, Inc.	Northing: 619672.56		
Boring/Well ID: S5277			Dri	ller: A. Mack	riewicz	Easting: 560472.19			
Permit No: NA				Co	nsulting Firn	n: Parsons	Elevation: 11.13		
Location: AOC 14/26				Log	gged By: M.	Emmer	Datum: Ground Surface		
Start Date/Time: 08/16/2016				Dri	ll Rig Type:	Geoprobe	Total Depth: 25.0 Ft		
Compl	lete Date: 08/1	6/2016		Dri	lling Method	: Direct Push - Split Spoon	Boring Diameter: 2 in		
Weath	er: sun, 80s			Sa	mple Method	d: Split Spoon	Water Depth in Soil: 7 Ft		
Field E	Book No: 320			Ha	mmer Weigl	nt: NA			
		_		Ha	mmer Drop:	NA			
Rema	rks: Wood in tip	of spoor	n on 5-10ft	run, redic	7-10ft due to	poor recovery			
Depth Ft	Sample ID	Recovery	PID	Stratum	USCS Code	Material Description			
10	_		15.2			Black c-f SAND, some c-f gravel, little silt, little slay, wet, sheen, loose, petro odor, 11-12' wood, wet, oily			
11 -	_		64.7	FILL	sw/gw				
''			33.4						
40	S5277H4		36.8						
12 -			50.75		CMICM	Same as above 10-12' interval			
	S5277G2		93.2	FILL	SW/GW				
13 -						No Recovery			

Black c-f SAND and GRAVEL, some concrete and slag, wet, sheen, dense, faint petro odor

FILL

FILL

SW/GW

62

5.4

5.6

2

1.4

15

16

17 -

Site: Chevron: Perth Amboy, NJ	Drilling Company: East Coast Drilling, Inc.	Northing: 619672.56
Boring/Well ID: S5277	Driller: A. Mackiewicz	Easting: 560472.19
Permit No: NA	Consulting Firm: Parsons	Elevation: 11.13
Location: AOC 14/26	Logged By: M. Emmer	Datum: Ground Surface
Start Date/Time: 08/16/2016	Drill Rig Type: Geoprobe	Total Depth: 25.0 Ft
Complete Date: 08/16/2016	Drilling Method: Direct Push - Split Spoon	Boring Diameter: 2 in
Weather: sun, 80s	Sample Method: Split Spoon	Water Depth in Soil: 7 Ft
Field Book No: 320	Hammer Weight: NA	
	Hammer Drop: NA	

| Hammer Drop: NA Remarks: Wood in tip of spoon on 5-10ft run, redid 7-10ft due to poor recovery

Depth Ft	Sample ID	Recovery	PID	Stratum	USCS Code	Material Description
20			1.1			Gray m-c SAND, trace shells, wet, no odor, no sheen or staining
21 -	_		1.5			
	-		1.6	Native	GP	
	_		1			
	-		0.9			
23 -	_		5.6			Olive Gray CLAY and SILT, some root fragments, wet, no odor, no staining
23	-		5.3			
24 -	_		2.8	Native	PT	
-'	-		1.2			
25.0			1.4			

DATE STARTED: 3/0/98		QST EN	vivarmental	Swill U- SHEET OF				
DATE FINISHED; CALLY 98			G REPORT	ACSP				
CLIENT: (LUMB DI					C.B.	-0052		
PROJECT NAME AND LOCATION:	JECT HAME AND LOCATION: AT PURIL RET							
PROJECT NO.(S):					A			
BORING CONTRACTOR: 9 7	BORING CONTRACTOR: 9 DE CO. BORING FOREHAN: M. PROCONTRACTOR							
GEOLOGIST: 3 Magretzice INSPECTOR:								
	SOIL SAMPLE	R	CORE	OBS. WEL	L (OU) DRILLI	NG RIG		
EQUIPMENT: CASING SPLIT	SPOON (SS) UNDIS	TURBED (US)	BARREL	AUGER		RETHOD		
TYPE:	inters Due	crete		DVC		eaue		
		1 X 3 N 11				Direct		
HANNER WT\FALL	24	1 4						
SURFACE ELEVATION:	NORTH COORDIN	IATE:						
SURFACE CONDITIONS:								
GROUNDWATER AT 1/9 FT. AFT	TER VO HRS.	FT.	FT. AFTER HRS.					
DEPTH -OVAFING	SAMPLE		STRATA		ON AND REMARKS			
BELOW READING TYPE DEPTH			infied	Trace = 0-10		<u>, </u>		
GND. (PPM) & NO. FROM-TO			il lassif.	Some = 20-35		1		
	770		1			1401401		
O Come		ع ا		S bravels botton				
59.0 PC-1	 	ما	Ploe	KAtained, 270	% um plainat	4 bres,		
	20 -	\ <u>C</u>	L 335	5-30% b-mana	ti, twoce grown	Atraia		
1/2 2420	 		lued	rocarben odar,	Dag of wood at	41610		
V 1000	 		10	5-30% b-mand rocarben odas, masstymoves rels, block sta	aly proble	REPORT !		
2. /oru=	/		V. MARIN	massi; move	Aget trace	77.4		
/ 10.0 pp.			CL gra	rela. black Ata	enwa Col			
Tto post	20				J 64-3-4 64	(SENIN		
10.011)			C			
1 5.0			(, ·	أأ محمما				
(1320 ppm		J	sku	rearss-2; Ha	ek Atamina a	14-11/4		
	1.0		2L 5	t 611		~ *0'y		
7.0 553	40	`		, -6,	<i>1</i> ¥3	₹ 7 //\		
1/6		[1		(,,			
1,20			، ما	you state(ci) thouty pure, 2: groves, asphal ding, morst, ue as s=4; a				
, low		1		Yw Short cild	south ist.	270011		
7.000			Has	Horeste Live 7	Zon/ Later to	torce		
	D.a -	_ (L Mill	Cople of the	to finance	, topee		
8 310	7000		- June	gioven, inflia	THE LIVERTLY I	care.		
0 340			1 Dree	ding, worst,	ATKIT 18			
			Agu	reare.	. ,	· · · ·		
G / Hero		}		7 /W	tphairte LNA	77		
106.0 SS5	1 2	0	CL HI	care.	(SZ)			
	20 -				(P2	EL)		
/10 you	1	1	7		•			
fr 110	 	-	-V ARI	Wascet L	ot CHINE O.	البعدمال		
6	1 3	, i	A .	wearss5; h	an coff, wi	proune		
Mein CSG	20 -	(CE INI	API Mocare.		Seli)		
	- 20 -		}		. (1	sey		
10.00	+	.				-		
1. 10,0	 _ 	<u>.</u>	176	15 10,000,000	of hallo as	(المعلمة المعرفة		
12/96.0	,	1	TO TO	2(1) 21 (1) (1) (2) (2)	TO TON OIL	SCLAYICA		
557	20		11/ 9/10	y to all gray, I	10% migu Tra	strucky faces		
/H 23 + /			Hot Iss	To bus sauge, 1	moust, toget	oberm, [
/ W	 		AO	21. Samearss yto the groy 29 to frue sandy, me organics,	vertocal Moot	A. /		
			4	*				
	4 '		م	7				
/ <u> </u>				Diy bor	waat 4/xt	365		
			10	t Posts Diena	<u> </u>	726-0		
YPE POPUL	510115	ب ر بسریس بر.	- T	TOVE AUG	u at 4-14/t			
PPE BORING. DUANTITIES: L.F.SOIL	CASING	TO	S.S.SAMPI	St Chineselle	1 Crevas Co	444365.		
QUANTITIES: L.F.SOIL	L.F.I	KUCK	3.3.5AMPL			2.0		
•		Qn.	Las co	Meo tect 81	HO158	• • • •		

-1st Phase RFI— Location: NORTH FIELD — SWMU 7 Logged By: D. SCILLIERI Date(s): 10/12/95 — 10/12/95 Consulting Firm: E.S.E., INC. Drill: Geoprobe — Stainless Steel Split Spoon Contractor: E.P.I. Borehole Dia: 2.00in Remarks: Total Depth: 10.00' Groundwater Depth: 6.00' Datum: MEAN SEA LEVEL Material Description (Burmeister) January 1.5' Light gray SiLT, dry 1.5' CATALYST BEADS, and Light gray SiLT, little brown f—m Sand, tr concrete fragments, wet at bottom of spoon [FILL] 2.0' CATALYST BEADS, some brown f Sand, tr concrete fragments, wet at bottom of spoon [FILL] 3.5' CATALYST BEADS, wet, black staining 3.5' CATALYST BEADS, wet, petroleum ador, black staining	Project Name: Corrective Action Projects	Site Id: U007-014				
Consulting Firm: E.S.E., INC. Drill: Geoprobe — Stainless Steel Split Spoon Contractor: E.P.I. Borehole Dia.: 2.00in Total Depth: 10.00' Groundwater Depth: 6.00' Datum: MEAN SEA LEVEL Material Description (Burmeister) Trace 0-10% Little 10-20% Some 20-35% And 35-50% FI [FILL] O.4' Brown f-m SAND, dry 1.5' Light gray SILT, dry O.1' Brown m-c SAND, little Catalyst Beads, dry [FILL] CATALYST BEADS and Light gray SILT, little brown f-m Sand, tr f-m Grovel, dry Trace 0-10% Little 10-20% Some 20-35% And 35-50% FI [FILL] O.5' CATALYST BEADS, some brown f Sand, tr concrete fragments, wet at bottom of spoon [FILL] O.5' CATALYST BEADS, wet, black staining O.5' Silty CLAY, tr fiborous material, wet, petroleum odor, black staining O.5' Some As Above and CLAY, wet, petroleum odor, black staining O.5' Some As Above and CLAY, wet, petroleum odor, black staining O.5' Some As Above and CLAY, wet, petroleum odor, black staining	-1st Phase RFI-	Location: NORTH FIELD - SWMU 7				
Contractor: E.P.I. Remarks: Total Depth: 10.00' Groundwater Depth: 6.00' Datum: MEAN SEA LEVEL Material Description (Burmeister) Gumelian Description (Burmeister) FI [FILL] O.4' Brown f-m SAND, dry 1.5' Light gray SILT, dry O.1' Brown m-c SAND, little Catalyst Beads, dry I [FILL] CATALYST BEADS and Light gray SILT, little brown f-m Sand, tr f-m Gravel, dry FI [FILL] 2.0' CATALYST BEADS, some brown f Sand, tr concrete fragments, wet at bottom of spaon [FILL] 18730 gm FI [FILL] O.5' Silty CLAY, tr fiborous material, wet, petroleum odor, black staining O.5' Silty CLAY, tr fiborous material, wet, petroleum odor, black staining O.5' Some As Above and CLAY, wet, petroleum odor, black staining O.5' Stame As Above and CLAY, wet, petroleum odor, black staining	Logged By: D. SCILLIERI	Date(s): 10/12/95 - 10/12/95	Date(s): 10/12/95 - 10/12/95			
Remarks: Total Depth: 10.00' Groundwater Depth: 6.00' Datum: MEAN SEA LEVEL Material Description (Burmeister) Trace 0-10% Little 10-20% Some 20-35% And 35-50% S FI [FILL] 0.4' Brown f-m SAND, dry 1.5' Light groy SILT, dry 0.1' Brown m-c SAND, little Catalyst Beads, dry FI [FILL] CATALYST BEADS and Light gray SILT, little brown f-m Sand, tr f-m Gravel, dry Total Depth: 10.00' Material Description (Burmeister) FI [FILL] 0.4' Brown f-m SAND, dry 1.5' Light gray SILT, dry 0.1' Brown m-c SAND, little Catalyst Beads, dry FI [FILL] CATALYST BEADS, some brown f Sand, tr concrete fragments, wet at bottom of spoon FI [FILL] 1.5' CATALYST BEADS, wet, black staining 0.5' Sitly CLAY, tr fiborous material, wet, petroleum odor, black staining 0.5' Same As Above and CLAY, wet, petroleum odor, black staining 0.5' Same As Above and CLAY, wet, petroleum odor, black staining	Consulting Firm: E.S.E., INC.	Drill: Geoprobe — Stainless Steel Split Spoon	Drill: Geoprobe — Stainless Steel Split Spoon			
Groundwater Depth: 6.00' Datum: MEAN SEA LEVEL Material Description (Burmeister) Trace 0-10% Little 10-20% Some 20-35% And 35-50% FI [FILL] CATALYST BEADS and Light groy SILT, little brown f-m Sand, tr concrete fragments. wet at bottom of spoon [FILL] 1.5' CATALYST BEADS, wet, black staining 0.5' Sity CLAY, tr fiborous material, wet, petroleum odor, black staining 0.5' Some As Above and CLAY, wet, petroleum odor, black staining 0.5' Some As Above and CLAY, wet, petroleum odor, black staining	Contractor: E.P.I.	Borehole Dia.: 2.00in				
Datum: MEAN SEA LEVEL Hamilton Document Document	Remarks:	Total Depth: 10.00'	Total Depth: 10.00'			
Material Description (Burmeister) Trace 0-10% Little 10-20% Some 20-35% And 35-50% FI [FILL] 0.4' Brown f-m SAND, dry 1.5' Light groy SILT, dry 0.1' Brown m-c SAND, little Catalyst Beads, dry [FILL] CATALYST BEADS and Light gray SILT, little brown f-m Sand, tr f-m Gravel, dry 1.5' CATALYST BEADS, some brown f Sand, tr concrete fragments, wet at bottom of spoon [FILL] 1.5' CATALYST BEADS, wet, black staining 0.5' Sitty CLAY, tr fiborous material, wet, petroleum odor, black staining 0.5' Some AS Above and CLAY, wet, petroleum odor, black staining 0.5' Some As Above and CLAY, wet, petroleum odor, black staining		Groundwater Depth: 6.00'	Groundwater Depth: 6.00'			
FI [FILL] 0.4 Brown f-m SAND, dry 1.5 Light gray SILT, dry 0.1 Brown m-c SAND, little Catalyst Beads, dry [FILL] CATALYST BEADS and Light gray SILT, little brown f-m Sand, tr f-m Gravel, dry [FILL] 2.0' CATALYST BEADS, same brown f Sand, tr concrete fragments, wet at bottom of spoon [FILL] 1.5' CATALYST BEADS, wet, black staining 0.5' Silty CLAY, tr fiborous material, wet, petroleum odor, black staining, sheen [FILL] 0.5' CATALYST BEADS, wet, petroleum odor, black staining 0.5' Same As Above and CLAY, wet, petroleum odor, black staining 0.5' Same As Above and CLAY, wet, petroleum odor, black staining		Datum: MEAN SEA LEVEL				
FI [FILL] 0.4' Brown f-m SAND, dry 1.5' Light gray SILT, dry 0.1' Brown m-c SAND, little Catalyst Beads, dry [FILL] CATALYST BEADS and Light gray SILT, little brown f-m Sand, tr f-m Gravel, dry FI [FILL] 2.0' CATALYST BEADS, some brown f Sand, tr concrete fragments, wet at bottom of spoon [FILL] 1.5' CATALYST BEADS, wet, black staining 0.5' Silty CLAY, tr fiborous material, wet, petroleum odor, black staining, sheen [FILL] 0.5' CATALYST BEADS, wet, petroleum odor, black staining 0.5' Same As Above and CLAY, wet, petroleum odor, black staining 0.5' Same As Above and CLAY, wet, petroleum odor, black staining	Depth (ft) PID Recovery Water Level Graphic Log USCS Code	(Burmeister)				
	FILL 0.4' Brown f-m SAI 1.5' Light gray SILT 0.1' Brown m-c SAI FILL CATALYST BEADS and tr f-m Gravel, dry FILL 2.0' CATALYST BEAD tr concrete fragmen wet at bottom of s FILL 1.5' CATALYST BEAD 0.5' Silty CLAY, tr f black staining, sheet FILL 0.5' CATALYST BEAD 0.5' Same As Above 1.0' Black staining, sheet 1.0' Black staining,	FI [FILL] 0.0 ppm FI [FILL] 0.4' Brown f-m SAND, dry 1.5' Light gray SILT, dry 0.1' Brown m-c SAND, little Catalyst Beads, dry [FILL] CATALYST BEADS and Light gray SILT, little brown f-m Sand, tr f-m Gravel, dry FI [FILL] 2.0' CATALYST BEADS, some brown f Sand, tr concrete fragments, wet at bottom of spoon FI [FILL] 1.5' CATALYST BEADS, wet, black staining 0.5' Silty CLAY, tr fiborous material, wet, petroleum odor, black staining 0.5' Same As Above and CLAY, wet, petroleum odor, black staining 0.5' Same As Above and CLAY, wet, petroleum odor, black staining				